

ELECTRIC MOTOR CYCLE

NEW

HD-E860XP

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
High performance, designed for Ebike

LEVER

Cast aluminum Lever/Cast aluminum bracket
Reach adjustment
4 finger
Two pieces bracket
Finish: Black

CALIPER

Forged aluminum caliper body
Is or Post mount compatible
Finish: Black
4 piston

ROTOR

Front: 180MM/203MM
Rear: 180MM/203MM

PADS

W/Metallic compound pads

E-BIKE COLLECTION

NEW

HD-E860

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
High performance, designed for Ebike

LEVER

Cast aluminum Lever/Cast aluminum bracket
Reach adjustment
4 finger
Two pieces bracket
Finish: Black

CALIPER



Forged aluminum caliper body
Is or Post mount compatible
Finish: Black
4 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



E-BIKE
COLLECTION

NEW

HD-E850

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
High performance, designed for Ebike

LEVER

Cast aluminum Lever/Cast aluminum bracket
Reach adjustment
4 finger
Two pieces bracket
Finish: Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish: Black
Free angle of hose connector(W2P)

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08

NEW

HD-E800

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
High performance, designed for Ebike

LEVER

Cast aluminum Lever/Cast aluminum bracket
Reach adjustment
4 finger
Two pieces bracket
Finish: Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish: Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08

E-BIKE
COLLECTION

HD-E620

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
Suitable for Ebike

LEVER

Melt forged Lever or steel lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
4 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08

NEW

HD-E550

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
Suitable for Ebike

LEVER

Melt forged Lever or steel lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
Free angle of hose connector(W2P)

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08

E-BIKE
COLLECTION

HD-E500



3 FINGER

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
Suitable for Ebike

LEVER

Melt forged Lever or steel lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08

4 FINGER

**SYSTEM**

Open system
Easy installation, adjustment and maintenance
High sensitivity Sensor control
High performance, suitable for Ebike
Suitable for electro-tricycle, with parking function

LEVER

Cast aluminum Lever/Cast aluminum bracket
Reach adjustment
4 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
2 piston(2P)/4 piston(4P)
Free angle of hose connector(W2P)

ROTOR

Front: 140MM/160MM/180MM /203MM
Rear: 140MM/160MM/180MM /203MM

PADS

W/Metallic compound pads



P08



HD-E900

Parking function



E-BIKE COLLECTION



LB-DX2016E

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finish: Black /Color

Rotor

Wave type: MK01/05/1282S
Diameter: Φ 160mm

WEIGHT

F: 200grams
R: 206grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement

LB-DX2019E

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finish: Black /Color

Rotor

Wave type: MK01/05/1282S
Diameter: Φ 160mm

WEIGHT

F: 212grams
R: 218grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LL-E402DG

Adjustable sensor control designed
Diecast aluminum lever & bracket
4 fingers lever, Suitable for Ebike
Standard color: Silver lever and Black bracket
Packing: 50PRS/CTIN
N.W/G.W: 12/13Kgs



LL-E403DG

Adjustable sensor control designed
Diecast aluminum lever & bracket
4 fingers lever, Suitable for Ebike
Standard color: Silver lever and Black bracket
Packing: 50PRS/CTIN
N.W/G.W: 12/13Kgs



LL-E405D

Adjustable sensor control designed
Diecast aluminum lever & bracket
4 fingers lever, Suitable for Ebike
Standard color: Silver lever and Black bracket
Packing: 50PRS/CTIN
N.W/G.W: 12/13Kgs

ROAD BIKE



HD-R621

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
Suitable for road bike
NON-Corrosive mineral oil
High-strength light-weight

CALIPER

Forged aluminum caliper body
Flat mount
Finish: Black

ROTOR

Front: 140MM/160MM
Rear: 140MM/160MM

LEVER

Aluminum Lever with non-slip design/
Cast aluminum bracket
Reach adjustment
2 finger
Two pieces hinged bracket
Finish: Black

PADS

W/Metallic compound pads



HD-R601

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
Suitable for road bike
NON-Corrosive mineral oil
High-strength light-weight

CALIPER

Forged aluminum caliper body
Flat mount
Finish: Black

ROTOR

Front: 140MM/160MM
Rear: 140MM/160MM

LEVER

Aluminum Lever with non-slip design/
Cast aluminum bracket
Reach adjustment
3 finger
Two pieces hinged bracket
Finish: Black

PADS

W/Metallic compound pads




HD-R521

SYSTEM

Open system,Dual piston
Easy installation,adjustment and maintenance
Suitable for road bike
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever or steel lever/
Cast aluminum bracket
Reach adjustment
2 finger
Two pieces hinged bracket
Finish:Black



STEP 1

STEP 2



P08



MK01

1.9mm



CALIPER

Forged aluminum caliper body
IPost mount compatible
Finish:Black

ROTOR

Front: 140MM/160MM
Rear: 140MM/160MM

PADS

W/Metallic compound pads



HD-R501

SYSTEM

Open system,Dual piston
Easy installation,adjustment and maintenance
Suitable for road bike
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever or steel lever/
Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER

Forged aluminum caliper body
Flat mount
Finish:Black

ROTOR

Front: 140MM/160MM
Rear: 140MM/160MM

PADS

W/Metallic compound pads

LB-DR2011

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Flat mount caliper
Finish:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:169grams
R:170grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LL-702D

Top mount lever
For use with caliper or canti-brakes
Hinged clamp style
FOR use with 22.2mm OD handlebars
Cast aluminum lever & bracket
Standar finish:black bracket and lever
Weight:51g/PC



LL-750D

Quick release mechanism
For use with linear pull brakes
Cast aluminum lever & resin bracket
Standar finish:Silver or black lever and black rubber hood
Weight:84g/PC

ROAD BIKE

**LB-480D**

Light weight design
New mechanical ratio
Dual pivot caliper brake
Cast aluminum arm
Quick release mechanism
Standard pads:55mm adjustable angle pads
Dimension:41-55mm
Standar finish:black or silver
Weight:180g/PC

**LB-520D**

Light weight design
New mechanical ratio
Dual pivot caliper brake
Cast aluminum arm
Quick release mechanism
Standard pads:55mm adjustable angle pads
Dimension:47-57mm
Standar finish:black or silver
Weight:185g/PC

**LB-550D**

Light weight design
Cast aluminum arm
Single pivot caliper
Standard pads:55mm regular pads
Dimension:48-65mm
Standar finish:black or silver
Weight:191g/PC

**LB-700D**

Light weight design
Cast aluminum arm
Single pivot caliper
Standard pads: 55mm regular pads
Dimension: 46-60mm
Standar finish: black or silver
Weight: 150g/PC

HYDRAULIC DISC BRAKE

**HD-M620****SYSTEM**

Open system,Dual piston
Easy installation,adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

CALIPER

Forged aluminum caliper
Is or Post mount compatible
Finish:Black
4 piston

ROTOR



Front:
140MM/160MM/180MM/203MM
Rear:
140MM/160MM/180MM/203MM

LEVER

Aluminum Lever with non-slip desgin/
Cast aluminum bracket
Reach adjustment
2 finger
Two pieces hinged bracket
Finish:Black

PADS

W/Metallic compound pads

**HD-M600****SYSTEM**

Open system,Dual piston
Easy installation,adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

CALIPER

Forged aluminum caliper
Is or Post mount compatible
Finish:Black
4 piston

ROTOR

Front:
140MM/160MM/180MM/203MM
Rear:
140MM/160MM/180MM/203MM

LEVER

Aluminum Lever with non-slip desgin/
Cast aluminum bracket
Reach adjustment
3 finger
Two pieces hinged bracket
Finish:Black

PADS

W/Metallic compound pads



HYDRAULIC DISC BRAKE

NEW

HD-M650

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces hinged bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
Free angle of hose connector(W2P)

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



STEP 1

STEP 2



P08

MK01

1.9mm

HD-M550

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Melt forged Lever or steel lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
Free angle of hose connector(W2P)

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



STEP 1

STEP 2



P08

MK01

1.9mm

HD-M500

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Melt forged Lever or steel lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish:Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



STEP 1

STEP 2



P08

MK01

1.9mm

HD-M520

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever or steel lever/
Cast aluminum bracket
Reach adjustment
2 finger
Two pieces bracket
Finish:Black

CALIPER


Forged aluminum caliper
Is or Post mount compatible
Finish:Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



STEP 1

STEP 2



P08

MK01

1.9mm

HYDRAULIC DISC BRAKE


HD-M200

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
Non-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever/Cast aluminum bracket
Reach adjustment
3 finger
Two pieces bracket body
Finish: Black



STEP 1

STEP 2

CALIPER

Forged aluminum caliper
Is or Post mount compatible
Finish: Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads



P08



MK01

1.9mm

HD-M220

SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever/Cast aluminum bracket
Reach adjustment
2 finger
Two pieces bracket body
Finish: Black

CALIPER

Forged aluminum caliper
Is or Post mount compatible
Finish: Black
2 piston

ROTOR

Front: 140MM/160MM/180MM/203MM
Rear: 140MM/160MM/180MM/203MM

PADS

W/Metallic compound pads

HYDRAULIC DISC BRAKE FOR KIDS BIKE



HD-C220



SYSTEM

Open system, Dual piston
Easy installation, adjustment and maintenance
Suitable for the children bike
NON-Corrosive mineral oil
High-strength light-weight

LEVER

Aluminum Lever with non-slip design/Cast aluminum bracket
Reach adjustment
2 finger
Two pieces bracket
Finish: Black

CALIPER


Forged aluminum caliper body
Is or Post mount compatible
Finish: Black

ROTOR

Front: 140MM/160MM
Rear: 140MM/160MM

PADS

W/Metallic compound pads



STEP 1

STEP 2



P08



MK01

1.9mm

MECHANICAL DISC BRAKE FOR SCOOTER



LB-DX2013

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Suitable for scooter
Finsh:Black /Color

Rotor

Wave type:MK08
Diameter:Φ120mm

WEIGHT

F:114grams
R:114grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement

MECHANICAL DISC BRAKE

LB-DX2001

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finsh:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:177grams
R:180grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LB-DX2001-1

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finsh:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:190grams
R:196grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



MECHANICAL DISC BRAKE

LB-DX2012

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finsh:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:212grams
R:218grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LB-DX2005

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finsh:Black /Color

Rotor

Wave type: MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F: 198grams
R: 200grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LB-DX2016

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finsh:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:200grams
R:206grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LB-DX2018

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Single body design
Finsh:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:193grams
R:199grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement

MECHANICAL DISC BRAKE

LB-DX2019

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Finish:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:212grams
R:218grams(Excludes Rotor)

PADS

Metallic compound pads
Easy replacement



LB-DX2020

SYSTEM

Cable actuated mechanical disc brake
Actuate with liner pull brake lever

CALIPER

Die-casting aluminum mechanical disc brake
Single body design
Finish:Black /Color

Rotor

Wave type:MK01/05/1282S
Diameter:Φ160mm

WEIGHT

F:198grams
R:200grams(Excludes Rotor)


PADS

Metallic compound pads
Easy replacement



DISC ROTOR


DISC ROTOR



MK01


Popular wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 140/160/180/203mm

MK01-1



MK1282S

Light wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 160/180mm




MK03

Hot escape
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 160mm



MK05

Popular wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 160mm



MK06

Light wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 180mm



MK07

Popular wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 160/180/203mm



MK08

Popular wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 100mm



MK09

Light wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 120mm



MK10

Popular wave
Stiffness, high heated finish
Thickness: 1.9mm
Diameter: 140/160/180/203mm



LL-350AE



Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:90g/PC

LL-405D



Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:89g/PC



LL-329AE

Design for junior
Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:85g/PC



MTB LEVER



LL-320D

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:91g/PC

LL-320DG/C

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:89g/PC
LL-320C:Resin bracket and aluminum lever



LL-321D

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:94g/PC

LL-321DG

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:92g/PC
LL-333C:Resin bracket and aluminum lever



LL-302D/C

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:72g/PC
LL-302C:Resin bracket and aluminum lever

LL-305D/C

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:99g/PC
LL-305C:Resin bracket and aluminum lever



LL-303D/C

Design for junior
Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:89g/PC
LL-303C:Resin bracket and aluminum lever

LL-510DG

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:90g/PC

MTB LEVER



LL-306D

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:88g/PC

LL-304D/C

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:77g/PC
LL-304C:Resin bracket and aluminum lever



LL-113DG

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:90g/PC

LL-345AE

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:95g/PC




LL-349AE

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:88g/PC

LL-701DG

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:90g/PC



LL-337AE

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:127g/PC

LL-336AE

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:96g/PC

MTB LEVER




LL-420D

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:88g/PC

LL-420DG

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:92g/PC



LL-344DG

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:90g/PC

LL-48DG/C

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:89g/PC
LL-48C:Resin bracket and aluminum lever



LL-335DG

Cast aluminum lever & bracket
Return spring
3 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:87.5g/PC

LL-360D

Cast aluminum lever & bracket
Return spring
2.5 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:87.5g/PC



LL-307D

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:95g/PC

LL-116D

Cast aluminum lever & bracket
Return spring
4 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/silver lever
Weight:90g/PC

ALLOY V-BRAKE

ALLOY V-BRAKE



LB-936AE

Light weight design and cast aluminum arm
Coil spring and dual spring tension
adjusters
Arm length:110mm
Dimension:22-37mm
Standard pads:60mm ISO4210
Standar finish:black or silver
Weight:186g/wheel

LB-939AE

Light weight design and cast aluminum arm
Coil spring and dual spring tension
adjusters
Arm length:110mm
Dimension:22-37mm
Standard pads:60mm ISO4210
Standar finish:black or silver
Weight:186g/wheel

LB-927AE

Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length:110mm
Dimension:22-37mm
Standard pads:60mm ISO4210
Standar finish:black or silver
Weight:165g/wheel

LB-928AE

Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length:110mm
Dimension:22-37mm
Standard pads:60mm ISO4210
Standar finish:black or silver
Weight:166g/wheel

ALLOY V-BRAKE

LB-903DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 103mm
Dimension: 21-34.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 157g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-995DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 95mm
Dimension: 20.5-37.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 157g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-910DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 110mm
Dimension: 22-37mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 159g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-901DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 110mm
Dimension: 22-37mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 159g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-993DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 110mm
Dimension: 20.5-38.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 164g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-946DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 110mm
Dimension: 20.5-37.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 157g/wheel

LB-915DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 115mm
Dimension: 20.5-38.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 174g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

LB-920DG/DK/DS


Light weight design and cast aluminum arm
Linear spring tension adjustment
Arm length: 120mm
Dimension: 20.5-38.5mm
Standard pads: 60mm ISO4210
Standar finish: black or silver
Weight: 180g/wheel
DK: Plastic adjustment
DS: Steel adjustment
DG: Aluminum adjustment

BRAKE SYSTEM/CANTI

**LB-875D**

cast aluminum arm
Dual coil spring tension adjustment
Arm length: 64mm
Dimension: 23-37mm
Standard pads: 60mm ISO4210
Standard finish: black or silver
Weight: 155g/wheel

LB-998P

Resign composite w/steel insertion
Dual coil spring tension adjustment
Dimension: 22-31mm
Standard finish: black
Weight: 180g/wheel

**LL-U275D**

For use with caliper or U-brakes
Cast aluminum lever & bracket
Return spring
2.5 finger lever blade
Standard finish: black bracket/silver lever
Weight: 74g/PC

LB-U940D

Cast aluminum arm
Coil spring and dual spring tension adjusters
Dimension: 26-51mm
Standard pads: 60mm ISO4210
Standard finish: black or silver
Weight: 172g/wheel

**LB-770D**

Light weight design
Cast aluminum arm
Single pivot caliper
Standard pads: 55mm regular pads
Dimension: 60-80mm
Standard finish: black or silver
Weight: 190g/PC

LB-790D

Light weight design
Cast aluminum arm
Single pivot caliper
Standard pads: 55mm regular pads
Dimension: 68-90mm
Standard finish: black or silver
Weight: 189g/PC

**LB-2000AE**

Light weight design
New mechanical ratio
Dual pivot caliper brake
Melt forged aluminum arms
Quick release mechanism
Dimension: 41-55mm
Standard pads: 55mm adjustable angle pads
Standard finish: black or silver
Weight: 408g/wheel

LB-820D

Light weight design
Cast aluminum arm
Single pivot caliper
Standard pads: 55mm regular pads
Dimension: 70-95mm
Standard finish: black or silver
Weight: 185g/PC

BRAKE LEVER FOR KIDS BIKE




LL-991D

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket and lever
Weight:70g/PC

LL-210D

Cast aluminum lever & bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:49g/PC



LL-139PAE

Finger-safe design for kid
Cast aluminum lever & Resin bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:71g/PC

LL-139P

Finger-safe design for kid
Resin lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/ lever
Weight:65g/PC



LL-421PAE

Cast aluminum lever & Resin bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket and lever
Weight:71g/PC

LL-338PAE

Design for junior
Cast aluminum lever & Resin bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/silver lever
Weight:88g/PC



LL-338P

Design for junior
Resin lever & bracket
Return spring
2 finger lever blade
Suitable for Twist shifter
Standar finish:black bracket/ lever
Weight:88g/PC

LL-137P

Finger-safe design for kid
Resin lever & bracket
Return spring
3 finger lever blade
Standar finish:black bracket/ lever
Weight:58g/PC

BRAKE LEVER FOR KIDS BIKE




LL-396P

Resin lever & bracket
Return spring
3 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/ lever
Weight:64g/PC

LL-250P

Design for junior
Resin lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/ lever
Weight:73g/PC



LL-251P

Design for junior
Resin lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket and lever
Weight:71g/PC

LL-252P

Design for junior
Resin lever & bracket
Return spring
2 finger lever blade
Suitable for Thumb shifter
Standar finish:black bracket/ lever
Weight:71g/PC

ADAPTER INSTRUCTION CHART

Adapter Instruction Chart



NOTE
F: Standard front fork
R: Standard rear frame
PM: Post mount
None: Currently not available



ROTOR SIZE	ADAPTER	IS STANDARD	
		F	R
Φ140MM		M-3	M-4 M-7
Φ160MM		M-4 M-7	M-1 M-8
Φ180MM		M-1 M-8	M-5
Φ203MM		M-5	M-9

ROTOR SIZE	ADAPTER	POST MOUNT(P M)	
		F	R
Φ140MM		NONE	NONE
Φ160MM		NONE	NONE
Φ180MM		M-2/M-10	M-10
Φ203MM		M-6	M-6

Flat Mount



ROTOR SIZE	ADAPTER	FLAT MOUNT (FM)	
		Φ 140MM	Φ 160MM
F	F=70MM	M-17	M-17
R	R=34MM	NONE	M-18



REPAIR KIT/HOSE PARTS

Repair Kit

Applicable to SHIMANO/TEKTRO/LOGAN/Haoxing oil disc C SPARK X.SPARK HERCULES, etc

Syringe*2
Plastic tubing*2
Link stopper 1
Link stopper 2
Plastic inserts with o-ring*3
Mineral oil 50ml*1
T10 wrench*1
T15 wrench*1
M3 wrench*1
M2.5 wrench*1
Open end wrench of 8mm*1



K01

Hose/Hose Parts



Pin



Olive



H-01

Packing

The sets packing in colour box
One set (front and rear)



DISC PADS



P01



P02



P03



P04



P05



P06



P07



P08



P12



P13



P14



P15



P16



P17



P18



P19



P20



P21



P22



P23



P24



P25



P26



P27



P28



P29



BRAKE SHOES



E15
50mm



E19
50mm



E20
70mm



E08
35mm
0°, 8°, 25°



E06
40mm
0°, 8°, 25°



E10
50/55mm



E21
55mm



E13
60mm



E25
50/55mm



E12
70mm



E22
70mm



E23
50/55mm



E04
60mm



E05
70mm



E24
50/55mm



E18
60mm



E07
70mm



E01
70mm



YBS-01

OTHER ACCESSORIES



F30



F07



F06



F05



F16



F09



F10



F01



F02



F11



F12



F15



Flexible
可调节
角度



90°



110°



135°



110°



110°



90°



75°



55°

FOR LADY BLKE

F04



F22



F14



F08-1



F08-2