


FIX-15




FIX-15						
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7050 ϕ 39.8*28.6					
CROWN PITCH	Aluminium P145mm					
STANCHION	Aluminium- ϕ 34mm Hard Anodize			Steel- ϕ 34mm CP/QPQ		
CASTING	Magnesium 110* ϕ 15mm Thru Axle					
SPRING	Air Spring			Coil Spring		
WHEEL SIZE	20" 24" 27.5" 29"					
TRAVEL	50/80/100/120mm					
BRAKE TYPE	Disc Brake 20*24*160/180mm, 27.5*29*180/203mm					
MAX TIRE	20" 24" 3.0 Inch / 27.5" 29" 2.6 Inch					

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



CASTOS-15




CASTOS-15						
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7050/Steel ϕ 30(39.8)*28.6					
CROWN PITCH	Aluminium P130mm					
STANCHION	Aluminium- ϕ 32mm Hard Anodize			Steel- ϕ 32mm CP/QPQ		
CASTING	Magnesium 100* ϕ 15mm Thru Axle					
SPRING	Air Spring			Coil Spring		
WHEEL SIZE	27.5" 29"					
TRAVEL	100/120mm					
BRAKE TYPE	Disc Brake 27.5*160/180mm, 29*180/203mm					
MAX TIRE	2.6 Inch					

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



CASTOS




CASTOS						
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium 7075/Steel ϕ 30(39.8)*28.6					
CROWN PITCH	Aluminium P130mm					
STANCHION	Aluminium- ϕ 32mm Hard Anodize			Steel- ϕ 32mm CP/QPQ		
CASTING	Magnesium Open Dropout 100* ϕ 9.8mm					
SPRING	Air Spring			Coil Spring		
WHEEL SIZE	20" 26" 27.5" 29"					
TRAVEL	50/80/100/120mm					
BRAKE TYPE	Disc Brake 20*26*27.5*160/180mm, 29*180/203mm					
MAX TIRE	2.4 Inch					

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



JUNGLE




JUNGLE							
	A-TNL	A-TNL-R	A-RL	A-RL-R	ML-P	TNL-P	RL-P
STEERER	Aluminium/Steel ϕ 30(39.8)*28.6						
CROWN PITCH	Aluminium P130mm						
STANCHION	Aluminium- ϕ 32/30mm Hard Anodize			Steel- ϕ 32/30mm CP/QPQ			
CASTING	Magnesium Open Dropout 100* ϕ 9.8mm			Aluminium Open Drop 100* ϕ 9.8mm			
SPRING	Air Spring			Coil Spring			
WHEEL SIZE	(20" 24") 26" 27.5" 29"						
TRAVEL	50/80/100/120mm						
BRAKE TYPE	Disc Brake 160/180mm						
MAX TIRE	2.4 Inch						

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out
ML Mechanical Lock-out




EXPLORE




—100/135/150MM—

EXPLORE	
	A-TNL A-TNL-R A-R A-A TNL-R TNL
STEERER	Aluminium 7075, $\phi 30(39.8) \times 28.6$
CROWN PITCH	Aluminium P146/186mm
STANCHION	Aluminium- $\phi 34$ mm Hard Anodize
CASTING	Aluminium 110/150mm* $\phi 15/20$ mm Thru Axle
SPRING	Air Spring Coil Spring
WHEEL SIZE	20" 24" 26" 27.5" 29"
TRAVEL	50/80/100/120/140/160mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	P146mm 3.0 Inch / 186mm 5.0 Inch

A Air
R Rebound
TNL Hydraulic Lock-out



MUSCLE-MAX



—150MM—


MUSCLE-MAX	
	A-TNL A-TNL-R A-RL A-RL-R TNL-P RL-P
STEERER	Aluminium/Steel, $\phi 30(39.8) \times 28.6$
CROWN PITCH	Aluminium P190mm
STANCHION	Aluminium- $\phi 38$ mm Hard Anodize
CASTING	Magnesium 150* $\phi 15$ mm Thru Axle
SPRING	Air Spring Coil Spring
WHEEL SIZE	20" 26"
TRAVEL	80/100/120mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	5.0 Inch

A Air
R Rebound
P Preload Adjuster
RL Remote Lock-out
TNL Hydraulic Lock-out



FATBIKE

MUSCLE-4.0



MUSCLE-4.0						
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium/Steel $\phi 30(39.8)*28.6$					
CROWN PITCH	Aluminium P175mm					
STANCHION	Aluminium- $\phi 38$ mm Hard Anodize					
CASTING	Magnesium Open Dropout 135* $\phi 10$ mm					
SPRING	Air Spring		Coil Spring			
WHEEL SIZE	20" 26"					
TRAVEL	80/100/120mm					
BRAKE TYPE	Disc Brake 160/180mm					
MAX TIRE	4.0 Inch					


A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



FATBIKE

STRONG




STRONG					
MODEL	A-TNL	A-RL	ML-P	TNL-P	P
STEERER	Aluminium/Steel $\phi 30(39.8)*28.6$				
CROWN PITCH	Aluminium P171mm				
STANCHION	Aluminium- $\phi 34$ mm Hard Anodize		Steel- $\phi 34$ mm CP/QPQ		
CASTING	Magnesium Open Dropout 135* $\phi 9.8$ mm		Aluminium Open Dropout 135* $\phi 9.8$ mm		
SPRING	Air Spring		Coil Spring		
WHEEL SIZE	20" 26"				
TRAVEL	50/80/100/120mm				
BRAKE TYPE	Disc Brake 160/180mm				
MAX TIRE	4.0 Inch				

A Air
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out
ML Mechanical Lock-out



MUSCLE-PRO




MUSCLE-PRO						
	A-TNL	A-TNL-R	A-RL	A-RL-R	TNL-P	RL-P
STEERER	Aluminium/Steel $\phi 30(39.8)*28.6$					
CROWN PITCH	Aluminium P175mm					
STANCHION	Aluminium- $\phi 38$ mm Hard Anodize					
CASTING	Magnesium Open Dropout 135* $\phi 15$ mm Thru Axle					
SPRING	Air Spring		Coil Spring			
WHEEL SIZE	20" 26"					
TRAVEL	80/100/120mm					
BRAKE TYPE	Disc Brake 180/203mm					
MAX TIRE	4.0 Inch					

A Air
R Rebound
P Preload Adjuster

RL Remote Lock-out
TNL Hydraulic Lock-out



EXPLORE - DH





EXPLORE - DH	
	A-TNL A-TNL-R A-R A-A TNL-R TNL
STEERER	Aluminium 7050, $\phi 30 \times 28.6$
CROWN PITCH	Aluminium P146/171/180mm
STANCHION	Aluminium- $\phi 34$ mm Hard Anodize
CASTING	Aluminium 110/135/150mm* $\phi 15/20$ mm Thru Axle
SPRING	Air Spring Coil Spring
WHEEL SIZE	20" 24" 26" 27.5" 29"
TRAVEL	80/100/120/140/160mm
BRAKE TYPE	Disc Brake 160/180mm

A Air
R Rebound
TNL Hydraulic Lock-out



ARES - DH




ARES - DH	
	A-TNL A-TNL-R TNL-P
STEERER	Aluminium 7050, $\phi 30 \times 28.6$
CROWN PITCH	Aluminium P145mm
STANCHION	Aluminium- $\phi 36$ mm Hard Anodize
CASTING	Aluminium 110* $\phi 15$ mm Thru Axle
SPRING	Air Spring Coil Spring
WHEEL SIZE	27.5+ 29+ "
TRAVEL	100/120/140/160mm
BRAKE TYPE	Disc Brake 180/203mm

A Air
R Rebound
P Preload Adjuster
TNL Hydraulic Lock-out




DOWNHILL

FIX-DH



— 110MM —



530MM



FIX-DH				
	A-TNL	A-TNL-R	TNL-R	TNL-P
STEERER	Aluminium/Steel ϕ 30*28.6			
CROWN PITCH	Aluminium P145mm			
STANCHION	Aluminium- ϕ 34mm Hard Anodize		Steel- ϕ 34mm CP/QPQ	
CASTING	Magnesium Open Dropout 110* ϕ 9.8mm (*Thru axle 110*15mm)			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 24" 27.5" 29" (*27.5" 29")			
TRAVEL	80/100/120/140mm			
BRAKE TYPE	Disc Brake 20"24"160mm, 27.5"29"180/203mm			


A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out




DOWNHILL

CASTOS-DH



— 100MM —



530MM




CASTOS-DH				
	A-TNL	A-TNL-R	TNL-R	TNL-P
STEERER	Aluminium/Steel ϕ 30*28.6			
CROWN PITCH	Aluminium P130mm			
STANCHION	Aluminium- ϕ 32mm Hard Anodize		Steel- ϕ 32mm CP/QPQ	
CASTING	Magnesium Open Dropout 100* ϕ 9.8mm (*Thru axle 100*15mm)			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26" 27.5" 29" (*27.5" 29")			
TRAVEL	50/80/100/120/140mm			
BRAKE TYPE	Disc Brake 20"24"26"27.5"160mm, 29"180/203mm			

A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out

DOWNHILL

MUSCLE - DH



135/150MM

MUSCLE - DH				
	A-TNL	A-TNL-R	TNL-P	P
STEERER	Aluminium/Steel $\phi 30 \times 28.6$			
CROWN PITCH	Aluminium P175/190mm			
STANCHION	Aluminium $\phi 38$ mm Hard Anodize			
CASTING	Magnesium Open Dropout 135* $\phi 9.8$ mm Thru axle 135*15mm $\phi 150 \times 15$ mm			
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26"			
TRAVEL	120/140mm			
BRAKE TYPE	Disc Brake 180/203mm			


A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out



DOWNHILL

COWBOY - PRO




135MM

COWBOY - PRO	
STEERER	Aluminium/Steel $\phi 30 \times 28.6$
CROWN PITCH	Aluminium P171/186mm
STANCHION	Steel $\phi 34$ mm QPQ
CASTING	Aluminium Open Dropout 150/135*10mm Thru Axle 150/135*15mm
SPRING	Air Spring / Coil Spring
WHEEL SIZE	20" 24" 26"
TRAVEL	50/80/100mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	P171mm 4.0 Inch / 186mm 5.0 Inch



STRONG - DH



135MM


STRONG - DH				
	A-TNL	A-TNL-R	TNL-P	P
STEERER	Aluminium/Steel $\phi 30 \times 28.6$			
CROWN PITCH	Aluminium P171mm			
STANCHION	Aluminium- $\phi 34$ mm Hard Anodize		Steel- $\phi 34$ mm CP/QPQ	
CASTING	Magnesium Open Dropout 135* $\phi 9.8$ mm		Aluminium Open Dropout 135* $\phi 9.8$ mm	
SPRING	Air Spring		Coil Spring	
WHEEL SIZE	20" 26"			
TRAVEL	120/140mm			
BRAKE TYPE	Disc Brake 160/180mm			
MAX TIRE	4.0 Inch			

A Air
R Rebound
P Preload Adjuster

TNL Hydraulic Lock-out



COWBOY




135MM

COWBOY	
STEERER	Aluminium/Steel $\phi 30(30.8) \times 28.6$
CROWN PITCH	Aluminium P165/180mm
STANCHION	Steel $\phi 32$ mm CP/QPQ
OUT LEGS	Steel $\phi 42$ mm
CASTING	Aluminium Open Dropout 135/150*10mm Thru Axle 135/150*15mm
SPRING	Coil Spring
WHEEL SIZE	20" 24" 26"
TRAVEL	50/80/100mm
BRAKE TYPE	Disc Brake 180/203mm
MAX TIRE	4.0/5.0 Inch



URBAN

RAY-PRO




RAY-PRO				
	A-TNL	TNL-P	ML-P	P
STEERER	Aluminium/Steel $\phi 30(39.8)*28.6$			
CROWN PITCH	Aluminium P120mm			
STANCHION	Aluminium $\phi 32$ mm Hard Anodize	Steel $\phi 32$ mm CP/QPQ		
CASTING	Aluminium/Magnesium Open Dropout 100* $\phi 10$ mm			
SPRING	Air Spring	Coil Spring		
WHEEL SIZE	700 C			
TRAVEL	60/80mm			
BRAKE TYPE	Disc Brake 160mm			
MAX TIRE	2.0 Inch			

A Air Preload Adjuster **ML** Mechanical Lock-out
P Preload Adjuster **TNL** Hydraulic Lock-out



URBAN

GRAVEL




GRAVEL		
MODEL	A-TNL	A-TNL-RL
STEERER	Aluminum $\phi 30(39.8)*28.6$ mm	
CROWN PITCH	Aluminum P120mm	
STANCHION	Aluminum- $\phi 32$ mm Hard Anodize	
CASTING	Aluminum Thru axle 100* $\phi 12$ mm	
SPRING	Air Spring	
WHEEL SIZE	700C	
TRAVEL	40/50/60/mm	
BRAKE TYPE	Disc brake	
MAX TIRE	2.0 Inch	

A Air Spring **RL** Remote Lock-out
TNL Hydraulic lock Lock-out



RAY




RAY				
	A-TNL	TNL-P	ML-P	P
STEERER	Aluminium/Steel $\phi 30*28.6$			
CROWN PITCH	Aluminium P107mm			
STANCHION	Aluminium $\phi 30$ mm Hard Anodize	Steel $\phi 30$ mm CP/QPQ		
CASTING	Aluminium/Magnesium Open Dropout 100* $\phi 9.8$ mm			
SPRING	Air Spring	Coil Spring		
WHEEL SIZE	700 C			
TRAVEL	60/80mm			
BRAKE TYPE	Disc & V-brake			
MAX TIRE	2.0 Inch			

A Air Preload Adjuster **ML** Mechanical Lock-out
P Preload Adjuster **TNL** Hydraulic Lock-out



URBAN

HES



MODEL	Items	Specification Description	A	B	C	D	E	W	Dropout	Brake Type	Brake Wire	Size
ES5	customizable	ES5 A120-260 B40 C375 D55 E30 W62	120-260	40	375	55	30/39.8	62	open thru axle (12/15mm)	Disc	External Stealth	700C
ES8	customizable	ES8 A120-260 B35 C273 D50 E30 W65	120-260	35	273	55	30/39.8	65	open thru axle (12/15mm)	Disc	External Stealth	20

SEAT POST

HESP 820



MODEL	ESP 820
FUNCTION	Stealth hydraulic remote operated
DIAMETER	φ30.9/31.6mm
TRAVEL	75/100/125mm
INNER TUBE	Aluminum alloy anodized color
LENGHT	360/385/410mm

HESP 810



MODEL	ESP 810
FUNCTION	External hydraulic remote operated
DIAMETER	φ30.9/31.6mm
TRAVEL	75/100/125mm
INNER TUBE	Aluminum alloy anodized color
LENGHT	360/385/410mm

SEAT POST

ESP 800



MODEL	ESP 800
FUNCTION	External hydraulic operated
DIAMETER	∅ 30.9/31.6mm
TRAVEL	75/100/125mm
INNER TUBE	Aluminum alloy anodized color
LENGHT	360/385/410mm

SEAT POST

ESP 525



MODEL	ESP 525
DIAMETER	Aluminum ∅ 27.2-34.9
TRAVEL	30mm
INNER TUBE	STEEL 13A,CP,ED
LENGHT	300-500mm

ESP 700



MODEL	ESP 700
DIAMETER	Aluminum ∅ 30.9/31.6
TRAVEL	30mm
INNER TUBE	Aluminum alloy anodized color
LENGHT	300-500mm

ESP 518



MODEL	ESP 518
DIAMETER	Aluminum ∅ 27.2-34.9
TRAVEL	30mm
INNER TUBE	STEEL 13A,CP,ED
LENGHT	300-500mm