

# COMPETITION

Lightweight design, Carbon Fiber Injection in one shape



Quality stems from the profession  
 Make high-quality service  
 Casts quality life  
 Chifan parts---Your best choice

## CF-1027



Weight 98g • Size 274x125 mm

Base Carbon Fiber Injection  
 Fill w/0  
 Rail Carbon  
 Key Point Carbon Fiber Injection  
 Stitching -



## CF-1320



Weight 133g • Size 273x142 mm

Base Carbon Fiber Injection  
 Fill EVA (Ethylene Vinyl Acetate)  
 Rail Carbon  
 Key Point Carbon Fiber Injection  
 Stitching -

## CF-1321



Weight 153g • Size 273x142mm

Base Carbon Fiber Injection  
 Fill EVA (Ethylene Vinyl Acetate)  
 Rail Carbon  
 COVER OPTIONS Microfiber or Other Options  
 Key Point Carbon Fiber Injection•EVA  
 Stitching 9L-1



## CF-1300



Weight 195g • Size 276x149 mm

Base Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail Cr/N/Ti Alloy • Chromoly  
 COVER OPTIONS Microfiber or Other Options  
 Stitching 4V-2

COMPETITION

PERFORMANCE

SPORT

ROAD

MTB

JUNIOR

COMFORT/CITY

FIXIE

GEAR

COMPETITION

**CF-3001**



Weight 346g • Size 230x154 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 3G

**CF-3020**



Weight 249g • Size 250x132 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching 9W

**CF-3014**



Weight 269g • Size 228x143 mm


Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching - / 8A

**CF-3024**



Weight 182g • Size 179x124 mm

Base Single Density  
 Fill Light Foam • High Density  
 Seatpost Aluminum • Steel  
 Diameter :  $\varnothing$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching 4A



**CF-3021**



Weight 253g • Size 250x132 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

**CF-3013**



Weight 276g • Size 228x145mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching -

**CF-3035**



Weight 166g • Size 192x118 mm

Base Single Density  
 Fill thermoplastic urethane  
 Seatpost Aluminum • Steel  
 Diameter :  $\varnothing$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm  
 thermoplastic urethane

COVER OPTIONS  
 Stitching -

**Key Point:** Double Density • Integrated Seatpost  
 专利号: 201610544503.4  
 201620728715.3

**CF-3022**



Weight 243g • Size 202x124 mm

Base Single Density  
 Fill Light Foam • High Density  
 Seatpost Aluminum • Steel  
 Diameter :  $\varnothing$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm

COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -



**CF-1801**



Weight 269g • Size 305x131 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Cr/N/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	2C



**CF-1802**



Weight 279g • Size 305x131mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Cr/N/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	1H



**CF-1803**



Weight 249g • Size 305x127 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Cr/N/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	8H



**CF-1804**



Weight 315g • Size 307x128 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Cr/N/Ti Alloy • Chromoly • Steel
Stitching	8H



**CF-1808**



Weight 273g • Size 303x126 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Cr/N/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	-




**CF-6001**



Weight 380g • Size 268x153mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
COVER OPTIONS	Pure Leather
Stitching	-



There is no best, only better!





# JUNIOR

This push bike saddle is designed to provide child the safest and easiest scoot position .Toy products standard certified.



### CF-3029



Weight 225g • Size 190x113 mm  
 Base Single Density  
 Fill Light Foam • High Density  
 Seatpost Aluminum • Steel  
 Diameter :  $\phi$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

62°

### CF-3023



Weight 235g • Size 202x124 mm  
 Base Single Density  
 Fill Light Foam • High Density  
 Seatpost Aluminum • Steel  
 Diameter :  $\phi$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

68°

### CF-3028



Weight 186g • Size 190x101 mm  
 Base Single Density  
 Fill Light Foam • High Density  
 Seatpost Aluminum • Steel  
 Diameter :  $\phi$ 22.2mm • 25.4mm • 26.8mm • 27.2mm  
 Length : 150mm • 180mm • 200mm • 250mm  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

62°

### CF-5015



Weight 348g • Size 197x107mm  
 Base Single Density  
 Fill thermoplastic urethane  
 Rail Steel  
 COVER OPTIONS thermoplastic urethane  
 Stitching -  
**Key Point:** Double Density  
 专利号: 201610544503.4  
 201620728715.3

# COMPETITION

COMPETITION

## CF-1300

CF-1300



Weight 195g • Size 276x149 mm

Base	Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly
COVER OPTIONS	Microfiber or Other Options
Stitching	4V-2



Quality stems from the profession  
Make high-quality service  
Casts quality life  
Chifan parts---Your best choice



## CF-1005



Weight 314g • Size 275x148mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	-



## CF-1008



Weight 295g • Size 270x132mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	-



## CF-1009



Weight 302g • Size 270x132 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density • Steel
Rail	CrN/Ti Alloy • Chromoly
COVER OPTIONS	Microfiber or Other Options
Stitching	2B



## CF-1007



Weight 307g • Size 278x140mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	2B-2 / 7G



## CF-1020



Weight 301g • Size 272x132mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	-



# ROAD



**CF-1900**

Weight 258g • Size 273x125 mm

**Base**

**Fill**

**Rail**

**COVER OPTIONS**

**Stitching**



Carbon Fiber Injection • Nylon Fiber Injection

Light Foam • High Density

Cr/Ni Alloy • Chromoly

Microfiber or Other Options

Quality stems from the profession  
Make high-quality service  
Casts quality life  
Chifan parts---Your best choice



## CF-1003



Weight 313g • Size 275x135 mm

Base Single Density • Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching 2W-1



## CF-1011



Weight 292g • Size 272x136 mm

Base Single Density • Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching 1G-2



## CF-1016



Weight 276g • Size 271x132 mm

Base Single Density • Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching 4M



## CF-1018



Weight 340g • Size 275x134 mm

Base Single Density • Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel



## CF-1040



Weight 288g • Size 270x130 mm

Base Single Density • Carbon Fiber Injection • Nylon Fiber Injection  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching -



## CF-1200



Weight 257g • Size 271x121mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching -



## CF-6666



Weight 242g • Size 260x155 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching 1G-2



## CF-6688



Weight 315g • Size 258x153mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching -



**CF-1014**



Weight 300g • Size 277x135 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Pure Leather • Microfiber or Other Options
Stitching	1F-6



**CF-1015**



Weight 314g • Size 275x141 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Pure Leather • Microfiber or Other Options

**CF-1017**



Weight 321g • Size 275x141 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Pure Leather • Microfiber or Other Options
Stitching	10



**CF-1050**



Weight 333g • Size 278x151 mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Pure Leather
Stitching	-



**CF-1080**



Weight 343g • Size 283x150 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	CrN/Ti Alloy • Chromoly • Steel
COVER OPTIONS	Pure Leather
Stitching	2B



**CF-1800**



Weight 262g • Size 305x127mm

Base	Single Density • Carbon Fiber Injection • Nylon Fiber Injection
Fill	Light Foam • High Density
Rail	Chromoly • Steel
COVER OPTIONS	Microfiber or Other Options
Stitching	1A

**CF-1051**



Weight 317g • Size 276x149 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Chromoly • Steel
COVER OPTIONS	Pure Leather • Microfiber or Other Options
Stitching	2B-1



**CF-6012**



Weight 355g • Size 268x151mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 4K-1 / 2B / 8A



**CF-6017**



Weight 348g • Size 258x169 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 2B

**CF-6021**



Weight 367g • Size 258x1169 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 2B



**CF-6022**



Weight 358g • Size 258x169 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching -

**CF-6028**



Weight 340g • Size 275x139 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 4V-1




**CF-6029**



Weight 355g • Size 267x149mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching -

**CF-6038**



Weight 340g • Size 275x1142mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 5V



**CF-6039**



Weight 354g • Size 276x152mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 5V / 4V-1



**CF-6101**

Weight 383g • Size 272x166 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	3Y-2



**CF-6631**

Weight 376g • Size 279x160 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	8A / 2B



**CF-6628**

Weight 357g • Size 281x161mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	7G



**CF-6632**

Weight 348g • Size 279x160 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	8A



**CF-6629**

Weight 366g • Size 281x163 mm

Base	Single Density •
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	1A



**CF-6748**

Weight 360g • Size 261x170mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	8A / 7G



**CF-6630**

Weight 356g • Size 280x165 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	3X




**CF-6650**

Weight 354g • Size 256x154 mm

Base	Single Density
Fill	Light Foam • High Density
Rail	Steel
COVER OPTIONS	Pure Leather
Stitching	-



**CF-6651**



Weight 341g • Size 256x154 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching 2B-1

**CF-6668**



Weight 334 g • Size 258x155 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching 1G-2

**CF-6669**



Weight 338g • Size 257x155 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

**CF-6685**



Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather  
 Stitching 1E-1

**CF-6686**



Weight 349 g • Size 263x158 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail CrN/Ti Alloy • Chromoly • Steel  
 COVER OPTIONS Pure Leather  
 Stitching 9I / 1G

**CF-6689**



Weight 337 g • Size 258x156mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Microfiber or Other Options  
 Stitching -

**CF-6690**



Weight 342g • Size 258x152 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather • Microfiber or Other Options  
 Stitching -

**CF-6736**



Weight 373 g • Size 267x152 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Chromoly • Steel  
 COVER OPTIONS Pure Leather  
 Stitching 4Y

**CF-6002**



Weight 370g • Size 266x149 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching - / 2B / 8A / 2C



**CF-6003**



Weight 376g • Size 266x150 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 4Y-1 / 4J-1 / 1F-3



**CF-6008**



Weight 370g • Size 266x147 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 1A



**CF-6009**



Weight 335g • Size 266x145mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching -



**CF-6010**



Weight 368g • Size 266x153 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 1A



**CF-6006**



Weight 412g • Size 271x158 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 8A / 2K



**CF-6007**



Weight 360g • Size 266x147 mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 7G-1



**CF-6011**



Weight 379g • Size 267x151mm

Base Single Density  
Fill Light Foam • High Density  
Rail Steel  
COVER OPTIONS Pure Leather  
Stitching 2B / 1A / 2K



## CF-6634



Weight 393g • Size 280x176 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 4A / 1A



## CF-6880



Weight 391g • Size 264x193 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 9B



## CF-6640



Weight 402g • Size 283x179 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 3X / 5I-5



## CF-6738



Weight 413g • Size 275x164 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 3Y-3



## CF-6635



Weight 377g • Size 280x169 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 8A



## CF-6887



Weight 398g • Size 264x200 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 8A



## CF-6888



Weight 386g • Size 264x195 mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 2B



## CF-6889



Weight 396g • Size 264x195mm

Base Single Density  
 Fill Light Foam • High Density  
 Rail Steel  
 COVER OPTIONS Pure Leather  
 Stitching 2B

