



Automatic Yarn Cutting Machine



Precision Rim Preforming



Rim Forming



Flatness/ Roundness Test



Raw Rim Auto-finishing



Full Auto-painting Workshop



Impact Test








Torque/ Tension Test







Brake/ Fatigue/ Durability Test






**700C Rims O.W. 28mm, I.W. 21mm, Tubeless Ready**  
**Open to inquiry about the Ultra-light Rims.**

 <p>EKW160-R35C-28</p>	 <p>EKW145-R40C-28</p>	 <p>EKW154-R46C-28</p>	 <p>EKW152-R50C-28</p>	 <p>EKW170-R50C-28</p>
<p><b>Model</b> EKW160  <b>ERD</b> 574mm  <b>OD</b> 633mm  <b>Depth</b> 35mm  <b>Light</b> 365+/-15g  <b>Regular</b> 405+/-15g</p>	<p><b>Model</b> EKW145  <b>ERD</b> 564mm  <b>OD</b> 633mm  <b>Depth</b> 40mm  <b>Light</b> 385+/-15g  <b>Regular</b> 420+/-15g</p>	<p><b>Model</b> EKW154  <b>ERD</b> 552mm  <b>OD</b> 633mm  <b>Depth</b> 46mm  <b>Light</b> 395+/-15g  <b>Regular</b> 440+/-15g</p>	<p><b>Model</b> EKW152  <b>ERD</b> 544mm  <b>OD</b> 633mm  <b>Depth</b> 50mm  <b>Light</b> 405+/-15g  <b>Regular</b> 450+/-15g</p>	<p><b>Model</b> EKW170  <b>ERD</b> 544mm  <b>OD</b> 633mm  <b>Depth</b> 50mm  <b>Light</b> 425+/-15g  <b>Regular</b> 470+/-15g</p>




**700C Rims O.W. 28mm, I.W. 21mm, Tubeless Ready**  
**Open to inquiry about the Ultra-light Rims.**

 <p>EKW155-R55C-28</p>	 <p>EKW84-R60C-28</p>	 <p>EKW163-R65C-28</p>	 <p>EKW85-R88C-28</p>	
<p><b>Model</b> EKW155  <b>ERD</b> 534mm  <b>OD</b> 633mm  <b>Depth</b> 55mm  <b>Light</b> 430+/-15g  <b>Regular</b> 470+/-15g</p>	<p><b>Model</b> EKW84  <b>ERD</b> 524mm  <b>OD</b> 633mm  <b>Depth</b> 60mm  <b>Light</b> 465+/-15g  <b>Regular</b> 505+/-15g</p>	<p><b>Model</b> EKW163  <b>ERD</b> 514mm  <b>OD</b> 633mm  <b>Depth</b> 65mm  <b>Light</b> 475+/-15g  <b>Regular</b> 515+/-15g</p>	<p><b>Model</b> EKW85  <b>ERD</b> 468mm  <b>OD</b> 633mm  <b>Depth</b> 88mm  <b>Light</b> 600+/-15g  <b>Regular</b> 670+/-15g</p>	

**700C Rims O.W. 30mm, I.W. 24mm, Tubeless Ready**  
**Open to inquiry about the Ultra-light Rims.**

 <p>EKW217-R35C-30</p>	 <p>EKW182-R46C-30</p>	 <p>EKW161-R50C-30</p>	 <p>EKW183-R55C-30</p>	 <p>EKW168-R60C-30</p>
<p><b>Model</b> EKW217  <b>ERD</b> 574mm  <b>OD</b> 633mm  <b>Depth</b> 35mm  <b>Light</b> 390+/-15g  <b>Regular</b> 432+/-15g</p>	<p><b>Model</b> EKW182  <b>ERD</b> 552mm  <b>OD</b> 633mm  <b>Depth</b> 46mm  <b>Light</b> 415+/-15g  <b>Regular</b> 465+/-15g</p>	<p><b>Model</b> EKW161  <b>ERD</b> 544mm  <b>OD</b> 633mm  <b>Depth</b> 50mm  <b>Light</b> 425+/-15g  <b>Regular</b> 480+/-15g</p>	<p><b>Model</b> EKW183  <b>ERD</b> 534mm  <b>OD</b> 633mm  <b>Depth</b> 55mm  <b>Light</b> 450+/-15g  <b>Regular</b> 495+/-15g</p>	<p><b>Model</b> EKW168  <b>ERD</b> 524mm  <b>OD</b> 633mm  <b>Depth</b> 60mm  <b>Light</b> 470+/-15g  <b>Regular</b> 520+/-15g</p>

**700C Rims O.W. 29mm/ 31mm/ 34mm,**  
**I.W.24mm/ 25.4mm/ 28mm, Tubeless Ready**

 <p>EKW100-40H-29</p>	 <p>EKW135-R36C-31</p>	 <p>EKW176-R30H-34</p>		
<p><b>Model</b> EKW100  <b>ERD</b> 564mm  <b>OD</b> 633mm  <b>Depth</b> 40mm  <b>Width</b> 29mm  <b>Weight</b> 400+/-15g                      Disc-brake Only</p>	<p><b>Model</b> EKW135  <b>ERD</b> 572mm  <b>OD</b> 633mm  <b>Depth</b> 36mm  <b>Width</b> 31mm  <b>Weight</b> 405+/-15g                      Disc-brake Only</p>	<p><b>Model</b> EKW176  <b>ERD</b> 584mm  <b>OD</b> 633mm  <b>Depth</b> 30mm  <b>Width</b> 34mm  <b>Weight</b> 390+/-15g                      Disc-brake Only</p>		

## 700C Rims O.W. 25mm, I.W. 19mm Tubeless Ready

<p>EKW68-R30C-25</p>	<p>EKW49-R38C-25</p>	<p>EKW165-45C-25</p>	<p>EKW41-R50C-25</p>
<b>Model</b> EKW68 <b>ERD</b> 584mm <b>OD</b> 633mm <b>Depth</b> 30mm <b>Regular</b> 390+/-15g <b>Light</b> 345+/-15g	<b>Model</b> EKW49 <b>ERD</b> 568mm <b>OD</b> 633mm <b>Depth</b> 38mm <b>Regular</b> 425+/-15g <b>Light</b> 380+/-15g	<b>Model</b> EKW165 <b>ERD</b> 554mm <b>OD</b> 633mm <b>Depth</b> 45mm <b>Regular</b> 420+/-15g <b>Light</b> 390+/-15g	<b>Model</b> EKW41 <b>ERD</b> 544mm <b>OD</b> 633mm <b>Depth</b> 50mm <b>Regular</b> 470+/-15g <b>Light</b> 430+/-15g

## 700C Rims O.W. 25mm, I.W. 19mm Tubeless Ready

<p>EKW53-R56C-25</p>	<p>EKW62-R60C-25</p>	<p>EKW54-R88C-25</p>	
<b>Model</b> EKW53 <b>ERD</b> 532mm <b>OD</b> 633mm <b>Depth</b> 56mm <b>Regular</b> 480+/-15g <b>Light</b> 435+/-15g	<b>Model</b> EKW62 <b>ERD</b> 524mm <b>OD</b> 633mm <b>Depth</b> 60mm <b>Regular</b> 490+/-15g <b>Light</b> 470+/-15g	<b>Model</b> EKW54 <b>ERD</b> 468mm <b>OD</b> 633mm <b>Depth</b> 88mm <b>Regular</b> 690+/-15g <b>Light</b> 575+/-15g	



**700C Wavy Rims O.W. 30mm, I.W. 24mm,  
Tubeless Ready**

<p><b>Model</b> EKW198 (21H) <b>ERD</b> 534mm <b>OD</b> 633mm <b>Depth</b> 55/45mm <b>Weight</b> 450+/-15g</p>	<p><b>Model</b> EKW199 (21H) <b>ERD</b> 514mm <b>OD</b> 633mm <b>Depth</b> 65/55mm <b>Weight</b> 500+/-15g</p>	<p><b>Model</b> EKW200 (24H) <b>ERD</b> 514mm <b>OD</b> 633mm <b>Depth</b> 65/55mm <b>Weight</b> 500+/-15g</p>



**700C Wavy Rims O.W. 26mm, I.W. 20mm,  
Tubeless Ready**

<p><b>Model</b> EKW136 (24H) <b>ERD</b> 544mm <b>OD</b> 633mm <b>Depth</b> 50/44.5mm <b>Regular</b> 470+/-15g <b>Light</b> 430+/-15g Disc-brake Only</p>	<p><b>Model</b> EKW187 (24H) <b>ERD</b> 528mm <b>OD</b> 633mm <b>Depth</b> 58/52.5mm <b>Regular</b> 525+/-15g <b>Light</b> 470+/-15g Disc-brake Only</p>	

**700C 6-spoke Wheels O.W. 25mm/ 29mm, I.W. 19mm/ 22mm  
Clincher/ Tubeless Ready**

			
<p><b>Model</b> EKW125-6S-F <b>OD</b> 633mm <b>Depth</b> 34mm <b>Width</b> 25mm <b>Weight</b> 590+/-40g <b>Hub Type</b> 12*100 Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW125-6S-R <b>OD</b> 633mm <b>Depth</b> 34mm <b>Width</b> 25mm <b>Weight</b> 695+/-40g <b>Hub Type</b> 12*142 Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW166-6S-F <b>OD</b> 633mm <b>Depth</b> 40mm <b>Width</b> 29mm <b>Weight</b> 615+/-40g <b>Hub Type</b> 12*100 Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW166-6S-R <b>OD</b> 633mm <b>Depth</b> 40mm <b>Width</b> 29mm <b>Weight</b> 725+/-40g <b>Hub Type</b> 12*142 Center Lock, Ratchet hub</p>

**700C 3-spoke Wavy Wheels O.W. 28mm/29mm, I.W. 22mm  
Tubeless Ready**

			
<p><b>Model</b> EKW169-3S-F <b>OD</b> 633mm <b>Depth</b> 55/50mm <b>Width</b> 29mm <b>Weight</b> 665+/-40g <b>Hub Type</b> 12*100 Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW169-3S-R <b>OD</b> 633mm <b>Depth</b> 55/50mm <b>Width</b> 29mm <b>Weight</b> 780+/-40g <b>Hub Type</b> 12*142 Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW197-3S-F <b>OD</b> 633mm <b>Depth</b> 85/80mm <b>Width</b> 28mm <b>Weight</b> 830+/-40g <b>Hub Type</b> 12*100, Center Lock, Ratchet hub</p>	<p><b>Model</b> EKW197-3S-R <b>OD</b> 633mm <b>Depth</b> 85/80mm <b>Width</b> 28mm <b>Weight</b> 945+/-40g <b>Hub Type</b> 12*142, Center Lock, Ratchet hub</p>

CATALOG

700C 5-spoke Wheels/ 3-spoke Wheels O.W. 23mm, I.W. 16mm Clincher					
<b>Model</b> EKW13-5S-F <b>OD</b> 633mm <b>Depth</b> 66mm <b>Width</b> 23mm <b>Weight</b> Road 905+/-40g <b>Hub Type</b> 12*100, Center Lock.	<b>Model</b> EKW13-5S-R <b>OD</b> 633mm <b>Depth</b> 66mm <b>Width</b> 23mm <b>Weight</b> Road 1025+/-40g <b>Hub Type</b> 12*142, Center Lock.	<b>Model</b> EKW14-3S-F <b>OD</b> 633mm <b>Depth</b> 66mm <b>Width</b> 23mm <b>Weight</b> Road 790+/-40g. <b>Hub Type</b> 12*100, Center Lock.	<b>Model</b> EKW14-3S-R <b>OD</b> 633mm <b>Depth</b> 66mm <b>Width</b> 23mm <b>Weight</b> Road 910+/-40g. <b>Hub Type</b> 12*142, Center Lock.		






700C Disc Wheels O.W. 28mm, I.W. 20.6mm/21mm Tubeless Ready		
<b>Model</b> EKW164-R (Hollow) <b>OD</b> 633mm <b>Width</b> O.W. 28mm I.W. 21mm <b>Weight</b> Road 870+/-40g, <b>Hub Type</b> 12*142 Center Lock, Ratchet hub	<b>Model</b> EKW159-R (Hollow) <b>OD</b> 633mm <b>Width</b> O.W. 28mm, I.W. 20.6mm <b>Weight</b> Road 960+/-40g, <b>Hub Type</b> 12*142, Center Lock, Ratchet hub	<b>Model</b> EKW210-R (Hollow) <b>OD</b> 633mm <b>Width</b> O.W. 28mm, I.W. 21mm <b>Weight</b> Road 960+/-40g, <b>Hub Type</b> 12*142, Center Lock, Ratchet hub

27.5" MTB Rims Tubeless Ready, Hookless				26er Fat Bike Rims Hookless	
<p>EKW32-M27.5H-30</p>	<p>EKW25-M27.5H-35</p>	<p>EKW70-M27.5H-42</p>	<p>EKW43-M27.5H-50</p>	<p>EKW36-F26H-100</p>	<p>EKW37-F26H-80</p>
<b>Model</b> EKW32 <b>ERD</b> 557mm <b>OD</b> 596mm <b>Depth</b> 25mm <b>Width</b> 30mm <b>Regular</b> 380+/-15g <b>Light</b> 350+/-15g	<b>Model</b> EKW25 <b>ERD</b> 556mm <b>OD</b> 596mm <b>Depth</b> 25.5mm <b>Width</b> 35mm <b>Regular</b> 400+/-15g <b>Light</b> 380+/-15g	<b>Model</b> EKW70 <b>ERD</b> 551mm <b>OD</b> 596mm <b>Depth</b> 28mm <b>Width</b> 42mm <b>Regular</b> 430+/-15g <b>Light</b> 395+/-15g	<b>Model</b> EKW43 <b>ERD</b> 547mm <b>OD</b> 596mm <b>Depth</b> 30mm <b>Width</b> 50mm <b>Regular</b> 460+/-15g <b>Light</b> 425+/-15g	<b>Model</b> EKW36 <b>ERD</b> 535mm <b>OD</b> 574mm <b>Depth</b> 25.3mm <b>Width</b> 100mm <b>Weight</b> 840+/-15g	<b>Model</b> EKW37 <b>ERD</b> 535mm <b>OD</b> 574mm <b>Depth</b> 25.3mm <b>Width</b> 80mm <b>Weight</b> 730+/-15g

29" MTB Rims Tubeless Ready/ Tubular, Hookless					
<p>EKW33-M29H-30</p>	<p>EKW19-M29H-35</p>	<p>EKW56-M29H-42</p>	<p>EKW44-M29H-50</p>	<p>EKW04-M29T-30</p>	<p>EKW208-M29-34-DH</p>
<b>Model</b> EKW33 <b>ERD</b> 594mm <b>OD</b> 633mm <b>Depth</b> 25mm <b>Width</b> 30mm <b>Regular</b> 430+/-15g <b>Light</b> 390+/-15g	<b>Model</b> EKW19 <b>ERD</b> 593mm <b>OD</b> 633mm <b>Depth</b> 25.5mm <b>Width</b> 35mm <b>Regular</b> 450+/-15g <b>Light</b> 410+/-15g	<b>Model</b> EKW56 <b>ERD</b> 588mm <b>OD</b> 633mm <b>Depth</b> 28mm <b>Width</b> 42mm <b>Regular</b> 495+/-15g <b>Light</b> 455+/-15g	<b>Model</b> EKW44 <b>ERD</b> 584mm <b>OD</b> 633mm <b>Depth</b> 30mm <b>Width</b> 50mm <b>Regular</b> 525+/-15g <b>Light</b> 485+/-15g	<b>Model</b> EKW04 <b>ERD</b> 584mm <b>OD</b> 633mm <b>Depth</b> 30mm <b>Width</b> 30mm <b>Weight</b> 380+/-15g	<b>Model</b> EKW208 <b>ERD</b> 584mm <b>OD</b> 633mm <b>Depth</b> 30mm <b>Width</b> 34mm <b>Weight</b> 540+/-15g






### 24"-520/24"-507/20"-451" Rims

#### Clincher/ Tubeless Ready

 <p>EKW58-24"-520</p>	 <p>EKW59-24"-507</p>	 <p>EKW131-24"-507</p>	 <p>EKW35-20"-451</p>	 <p>EKW129-451-25H/T-23</p>
<p><b>Model</b> EKW58-24"-520  <b>ERD</b> 470mm  <b>OD</b> 529mm  <b>Depth</b> 35mm  <b>Width</b> 23mm  <b>Weight</b> 400+/-15g</p>	<p><b>Model</b> EKW59 24"-507  <b>ERD</b> 469mm  <b>OD</b> 518mm  <b>Depth</b> 30mm  <b>Width</b> 30mm  <b>Weight</b> 400+/-15g</p>	<p><b>Model</b> EKW131-24"-507  <b>ERD</b> 471mm  <b>OD</b> 518mm  <b>Depth</b> 30mm  <b>Width</b> 30mm  <b>Weight</b> 410+/-15g</p>	<p><b>Model</b> EKW35-20"-451  <b>ERD</b> 396mm  <b>OD</b> 461mm  <b>Depth</b> 38mm  <b>Width</b> 23mm  <b>Weight</b> 305+/-15g</p>	<p><b>Model</b> EKW129-20"-451  <b>ERD</b> 421mm  <b>OD</b> 461mm  <b>Depth</b> 25mm  <b>Width</b> 23mm  <b>Weight</b> 330+/-15g</p>




### 20"-406 Rims

#### Clincher/ Tubeless Ready

 <p>EKW60-20"-406</p>	 <p>EKW40-20"-406</p>	 <p>EKW108-20"-406</p>	 <p>EKW130-20"-406</p>	 <p>EKW132-406-38C/T-26</p>
<p><b>Model</b> EKW60-20"-406  <b>ERD</b> 369mm  <b>OD</b> 418mm  <b>Depth</b> 30mm  <b>Width</b> 30mm  <b>Weight</b> 310+/-15g</p>	<p><b>Model</b> EKW40-20"-406  <b>ERD</b> 353mm  <b>OD</b> 418mm  <b>Depth</b> 38mm  <b>Width</b> 23mm  <b>Weight</b> 280+/-15g</p>	<p><b>Model</b> EKW108-20"-406  <b>ERD</b> 379mm  <b>OD</b> 418mm  <b>Depth</b> 25mm  <b>Width</b> 30mm  <b>Weight</b> 310+/-15g</p>	<p><b>Model</b> EKW130-20"-406  <b>ERD</b> 379mm  <b>OD</b> 418mm  <b>Depth</b> 25mm  <b>Width</b> 30mm  <b>Weight</b> 330+/-15g(Hookless)</p>	<p><b>Model</b> EKW132-20"-406  <b>ERD</b> 351mm  <b>OD</b> 418mm  <b>Depth</b> 38mm  <b>Width</b> 26mm  <b>Weight</b> 310+/-15g</p>



## 18"-355/ 16"-349/ 16"-305 Rims

### Clincher

 <p>EKW211-18"-355</p>	 <p>EKW73-16"-349</p>	 <p>EKW72-16"-305</p>	
<p><b>Model</b> EKW211-18"-355  <b>ERD</b> 302mm  <b>OD</b> 367mm  <b>Depth</b> 38mm  <b>Width</b> 25mm  <b>Weight</b> 295+/-15g</p>	<p><b>Model</b> EKW73-16"-349  <b>ERD</b> 295mm  <b>OD</b> 360mm  <b>Depth</b> 38mm  <b>Width</b> 23mm  <b>Weight</b> 280+/-15g</p>	<p><b>Model</b> EKW72-16"-305  <b>ERD</b> 257mm  <b>OD</b> 316mm  <b>Depth</b> 35mm  <b>Width</b> 25mm  <b>Weight</b> 240+/-15g</p>	

## 14"-255/ 12"-203 Rims

### Clincher

 <p>EKW127-14"-255</p>	 <p>EKW78-12"-203</p>		
<p><b>Model</b> EKW127-14"-255  <b>ERD</b> 221mm  <b>OD</b> 266mm  <b>Depth</b> 28mm  <b>Width</b> 23mm  <b>Weight</b> 180+/-15g</p>	<p><b>Model</b> EKW78-12"-203  <b>ERD</b> 176mm  <b>OD</b> 215mm  <b>Depth</b> 25mm  <b>Width</b> 30mm  <b>Weight</b> 140+/-15g</p>		



### 3-Spoke Wheels 24"-520/24"-507 Tubeless Ready

<b>Model</b>	<b>EKW107-24"-520-3S-F</b>	<b>Model</b>	<b>EKW107-24"-520-3S-R</b>	<b>Model</b>	<b>EKW114-24"-507-3S-F</b>	<b>Model</b>	<b>EKW114-24"-507-3S-R</b>
<b>OD</b>	529mm	<b>OD</b>	529mm	<b>OD</b>	518mm	<b>OD</b>	518mm
<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm
<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm
<b>Weight</b>	635+/-40g	<b>Weight</b>	755+/-40g	<b>Weight</b>	615+/-40g	<b>Weight</b>	735+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake						



### 3-Spoke Wheels 20"-451 Tubeless Ready

<b>Model</b>	<b>EKW118-20"-451-3S-F</b>	<b>Model</b>	<b>EKW118-20"-451-3S-R</b>	<b>Model</b>	<b>EKW106-20"-451-3S-F</b>	<b>Model</b>	<b>EKW106-20"-451-3S-R</b>
<b>OD</b>	461mm	<b>OD</b>	461mm	<b>OD</b>	461mm	<b>OD</b>	461mm
<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm
<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm
<b>Weight</b>	555+/-40g	<b>Weight</b>	675+/-40g	<b>Weight</b>	565+/-40g	<b>Weight</b>	677+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake						

### 3-Spoke Wheels 20"-406 Tubeless Ready



							
<b>Model</b>	<b>EKW109-20"-406-3S-F</b>	<b>Model</b>	<b>EKW109-20"-406-3S-R</b>	<b>Model</b>	<b>EKW119-20"-406-3S-F</b>	<b>Model</b>	<b>EKW119-20"-406-3S-R</b>
<b>OD</b>	418mm	<b>OD</b>	461mm	<b>OD</b>	418mm	<b>OD</b>	418mm
<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm	<b>Depth</b>	48mm
<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	25mm
<b>Weight</b>	525+/-40g	<b>Weight</b>	637+/-40g	<b>Weight</b>	520+/-40g	<b>Weight</b>	640+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake

### 3-Spoke Wheels 18"-355 Tubeless Ready



							
<b>Model</b>	<b>EKW112-18"-355-3S-F</b>	<b>Model</b>	<b>EKW112-18"-355-3S-R</b>	<b>Model</b>	<b>EKW120-16"-349-3S-F</b>	<b>Model</b>	<b>EKW120-16"-349-3S-R</b>
<b>OD</b>	368mm	<b>OD</b>	368mm	<b>OD</b>	361mm	<b>OD</b>	361mm
<b>Depth</b>	45mm	<b>Depth</b>	45mm	<b>Depth</b>	45mm	<b>Depth</b>	45mm
<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	470+/-40g	<b>Weight</b>	590+/-40g	<b>Weight</b>	435+/-40g	<b>Weight</b>	555+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake

### 3-Spoke Wheels 16"-349 Clincher



### 3-Spoke Wheels 16"-305/14"-255 Clincher

							
<b>Model</b>	<b>EKW116-16"-305-3S-F</b>	<b>Model</b>	<b>EKW116-16"-305-3S-R</b>	<b>Model</b>	<b>EKW115-14"-255-3S-F</b>	<b>Model</b>	<b>EKW115-14"-255-3S-R</b>
<b>OD</b>	317mm	<b>OD</b>	317mm	<b>OD</b>	266.5mm	<b>OD</b>	266.5mm
<b>Depth</b>	35mm	<b>Depth</b>	35mm	<b>Depth</b>	35mm	<b>Depth</b>	35mm
<b>Width</b>	25mm	<b>Width</b>	25mm	<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	395+/-40g	<b>Weight</b>	515+/-40g	<b>Weight</b>	345+/-40g	<b>Weight</b>	465+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake


### 5-Spoke Wheels 20"-451/16"-349 Tubeless Ready/ Clincher



							
<b>Model</b>	<b>EKW122-20"-451-5S-F</b>	<b>Model</b>	<b>EKW122-20"-451-5S-R</b>	<b>Model</b>	<b>EKW121-16"-349-5S-F</b>	<b>Model</b>	<b>EKW121-16"-349-5S-R</b>
<b>OD</b>	460mm	<b>OD</b>	460mm	<b>OD</b>	360mm	<b>OD</b>	360mm
<b>Depth</b>	38mm	<b>Depth</b>	38mm	<b>Depth</b>	30mm	<b>Depth</b>	30mm
<b>Width</b>	23mm	<b>Width</b>	23mm	<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	620+/-40g	<b>Weight</b>	732+/-40g	<b>Weight</b>	485+/-40g	<b>Weight</b>	597+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake



## 5-Spoke Wheels 20"-451/20"-406 Clincher

					
					
					
					
<b>Model</b>	<b>EKW124-20"-451-5S-F</b>	<b>Model</b>	<b>EKW124-20"-451-5S-R</b>	<b>Model</b>	<b>EKW151-20"-406-5S-F</b>
<b>OD</b>	460mm	<b>OD</b>	460mm	<b>OD</b>	418mm
<b>Depth</b>	38mm	<b>Depth</b>	38mm	<b>Depth</b>	38mm
<b>Width</b>	23mm	<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	545+/-40g	<b>Weight</b>	665+/-40g	<b>Weight</b>	505+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake
<b>Model</b>	<b>EKW151-20"-406-5S-R</b>	<b>Model</b>	<b>EKW151-20"-406-5S-F</b>	<b>Model</b>	<b>EKW151-20"-406-5S-R</b>
<b>OD</b>	418mm	<b>OD</b>	418mm	<b>OD</b>	418mm
<b>Depth</b>	38mm	<b>Depth</b>	38mm	<b>Depth</b>	38mm
<b>Width</b>	23mm	<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	625+/-40g	<b>Weight</b>	625+/-40g	<b>Weight</b>	625+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake

## 5-Spoke Wheels 16"-349 Clincher

					
					
					
					
<b>Model</b>	<b>EKW123-16"-349-5S-F</b>	<b>Model</b>	<b>EKW123-16"-349-5S-R</b>		
<b>OD</b>	360mm	<b>OD</b>	360mm		
<b>Depth</b>	30mm	<b>Depth</b>	30mm		
<b>Width</b>	23mm	<b>Width</b>	23mm		
<b>Weight</b>	430+/-40g	<b>Weight</b>	550+/-40g		
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake		

Disc Wheels 20"451/16"349 23mm Clincher			
			
<b>Model</b>	<b>EKW149-20-451(Hollow)</b>	<b>Model</b>	<b>EKW178-20-406(Hollow)</b>
<b>OD</b>	462mm	<b>OD</b>	418mm
<b>Width</b>	23mm	<b>Width</b>	23mm
<b>Weight</b>	815+/-40g	<b>Weight</b>	735+/-40g
<b>Hub Type</b>	Disc-brake, Rim-brake	<b>Hub Type</b>	Disc-brake, Rim-brake

Disc Wheels 20"451/16"349 23mm Clincher			
			
<b>Model</b>	<b>EKW150-16"-349(Hollow)</b>		
<b>OD</b>	360mm		
<b>Width</b>	23mm		
<b>Weight</b>	643+/-40g		
<b>Hub Type</b>	Disc-brake, Rim-brake		